

. . . . . . . . . . . . . . . . . . .

Showbiz Pizza Place, Inc.

ONE PARK CHANTAL PULTE CAP
THE ALAPAND ST.
DELLAR, CALCENTE, 60202
2007812-179

A LIDEHOED SHOWER PIZZA PLACE! PRANCHIES OFSERVOR

tol 2 x3 = 6


55 1 K2 = 10 WTFW


48 Fu(.000015) = .000 920 Mgd


Sewer 72p. Open 10 hr /Jey
TUS X6=30
Ex 5/2=10
Ex 2/2=10
PERM


12 4 (50) = 3600.00

SHEET DRAWING INDEX ARCHITECTURAL DEMOLITION PLAN FLOOR PLAN
EXTERIOR ELEVATIONS WALL SECTIONS WALL SECTIONS & DETAILS ROOM FINISH SCHEDULE DOOR SCHEDULE & DETAILS INTERIOR ELEVATIONS A-9 INTERIOR ELEVATIONS
A-10 INTERIOR ELEVATIONS & DETAILS
A-11 INTERIOR ELEVATIONS & DETAILS
A-12 INTERIOR FRAMING & DETAILS MISC. SECTIONS & DETAILS REFLECTED CEILING PLAN EQUIPMENT PLAN SIGNAGE PLAN & DETAILS SIGNAGE DETAILS (FOR PERMITTING USE ONLY)
EQUIPMENT SCHEDULE EQUIPMENT SCHEDULE
KITCHEN EQUIPMENT ELEVATIONS
CABINET DETAILS STAINLESS STEEL & CABINET DETAILS EQUIPMENT, CABINET & BARN DETAILS STRUCTURAL EXISTING ROOF FRAMING PLAN MECHANICAL H.V.A.C. FLOOR PLAN H.V.A.C. DETAILS & SCHEDULES ROOF PLAN **PLUMBING** PLUMBING FLOOR PLAN PLUMBING DIAGRAMS & SCHEDULES ELECTRICAL POWER PLAN LIGHTING PLAN need sign plans. PANEL & RISER DIAGRAM LIGHT FIXTURE SCHEDULE & DETAILS
ELECTRONICS SHEET (FOR REFERENCE ONLY)
COMPUTER WIRING DIAGRAM (FOR REFERENCE ONLY) PROJECT MANUAL SPECIFICATIONS MATERIALS & PM-2 PM-3 PM-4









EXTERIOR FINISH


A SLIMP BLOK STALL BE EQUIVALENT TO PLOCK AS INFO PY SAFEVAY, GO STALL MAKE A SUBMITTAL TO SIGN OWNERS FOR AFFROVAL.

BENTEROR SANT SHALL BE DEVOE AT THE POLLOWING AFFECTS IN

I EXISTING METAL COPING /2 X8 REDWOOD

2 STATED TO HATCH EXSTRE TEXTURE!-

E EXISTING KOUGH TEXTURE I-II REDWOOD & GROWE SPICES.



**4** PLASHING DETAIL APPROVED

As Submitted ☐ With Corrections

SPARKS PLANNING DIVISION
RECEIVED 4-6-82 SL
AFFECT 4-7-82 SL sign oney


DATE 5-17-82


...


Ž Q

9 Ŏ.

FINS







EXTERIOR FINISH SPECIFICATIONS


A SUMP BLOCK WHALL BE EQUIVALENT TO BLOCK AS THE POY CAPSUNY OF SHALL MAKE A SUPMITTAL TO CIC OWNERS FOR APPROVAL. BE DONDE AT THE POLLOWING ACCOUNT OF THE POLLOWING ACCOUNT OF THE POLLOWING ACCOUNTS AS REDWIND

2 STANED TO MATCH EXET NO TEXTURE !-!

TO MATCH EXISTING .- I REDWOOD GTAINED

4 PANTED GRAPHOPSENI-GLOBE LATER ENAMEL 2
2 COOTS ON IN OWERY PP - 2
2 COOTS ON IN OWER PP - 2
2 P2
YELLON DELVOE #5FF - 3
YELLON DELVOE #5FF - 1
1/2 DELVOY GRANNOS ATTAINS TO THIS (SCENED).
DURANT GRANNOS ATTAINS TO THIS (SCENED).
NOTALED PY G.C.

E EXISTING KOUGH TEXTURE I-II REDWOOD & GROWE SPICILS.




APPROVED
As Submitted
With Corrections
Date
By
Spanks Bldg, Div.


SPARKS PLANNING DIVISION
RECEIVE 4-6-82 SL
AFFORT 4-7-82 SL
VIDEO SAGN ONLEY
DISAFFORM ONLEY
CASE NO.

age only

DATE 3-17 \$2 DRAWN BY : QAS SHEET NUMBER

THE SCHOOL STATES





A

H-M JOB NO J-1871-F


W. A.


The state of the s


post first to the first to the


= n


13 17 82 WH ST GAS ET NUMBER














architect and architect architec

s Sing Div. DATE 3


FANN BY







200=



h w/corrections

APPROVED

As Submitted

With Corrections

Date

Sparks Blda. Div.

DAYE 3. IT. 82.

DRAWN BY:

SHEET NUMBER:

2

SHOW

THEST DECUMENTS

MOTION SELECT

ANY TORN WITHOUT

OF REPORDICE


OF REPORDICE


PIZZA PLACE


INC.

I-IFAT-P

N ON









THE DOCUMENT NOT TO BE USED OF REPORTED OF ANY TOWN WITHOUT OF SHOWING PIZZA PLACE INC.

S.P.P. UNIT NO
H-M JOB NO I-1571-P
LOCATION
GILVER STATE PLAN
GILVER STATE
GI





LE.	2	00	53	WIRE	LOAD SERVED	LON	D/WA	নাঙ	LE	15	4	25	WIRE	LOAD SERVED
3	CKI	\$14	100	COND	LCAU SERVED	A	В	c	\$	CK	1	20	COND	LOTO SERVED .
Ī.	1	20	T,	DHIZ WIL	FOR DADLE PIZZA PREPR THELET	366 780	b .		2	2	15	5	5412	WILCOOLER COUPERFORM
3	3		Ŧ	בינון כאם	PORTABLE REPRISORATOR		720		4				1912490	
5	3	20		4+2	民意が出場をから			1920 TEO	6		T	r	1216	1
7	7,	19	T	H 125KO	CORFE HARRER & MARVER	560			8	4	13	3	482	DELINASIEN
9	9	Y	¥	1/2°C.	UNITED CONTER CENTS		970		10				# 2580	
11	11	20	1	さま はに	DOUGH SHEETER		(	1080	1/2		T	7	1214	•
13	19	20	1	PAIZ:1812	DRINK TOYENS	200		000	14	6	10	3	41 2	VXX
5	13	¥		CO LE	CHEE CHILIPS	1	020		16		1		#125RD	
7	17	20		SAID HIS	DOCUMENTS.		-	1020	15		T	7	1216	
19	19	20	1		SPASE			-	20	0	20	2	240,40	SELVAREN.
21	21	20	1		SFENS	376	1276		22		1	1+	362 50	
23	29	20	1	ZHIZ HAIL	Charles Carly Land	1	1	2400	24	0	20		SHE IS	SCHOOL SHOULD NOT
25	23	20		4#15	OFFICE ALATEM	200	1	34	26	12	20	1	MIC NO	DRINGERSON.
27	27	1	1	PESSE	BARASE ANGRESS	-20	200		28	14	7	7	SPO HE'C	
29	29	r	+	1816	OPPICE RECEIPE			1800	130	16	20	1	WE ALC	WI COOLER LIGHTS & PAN
31	31	20	1	Self ed	KITCHEN CLEANING RECEPTS.	725		icre	32	18	20	ī	9f(2, 14)	STRELENIEN
33	25	30	1	LANCTONIO	REACH- NIPCHIZER	1120	1725		34	20	1	1	10/6/6	
35	20	13			4HE		1	IBCC	36	-	30	1	200	CT CLOSEDY WARRIET
37	37	5	1		A NE	IFCO		leac	38		20	T	20 1 1 C	CONCOLUET A PER TACK TO
39	23	-			SPACE	100	=		40	1		t		(1940)
41	41	1_			59462	1		1-	42	1	1	1		1.02

ü	2	44	3	WIRE	LOAD SERVED	Le	AD/W	אודא	us L	3	20	25	WIRE	LCAD GERVED
5	3	45	109	COND.	LOND SERVED	A	В	6	5	8	17	20	COND	LEAD SERVED
1	1	15	2	542 42	DINTOACTER.	900			2	2	20	1	25 12	CONFRIENCE CUTLET
3	7	7	+	GR2 121c.		1	1190		4	4	20	1	3	APPLE LUPITER (IG.)
5	3	5	1	24 /2   14 /2 (NZ)   12 (C)	PIZZACION SAHKOT INL		1	1970	6	6	20	2	54 Z = 2	PORTICULE TONKABLE
7	3	20	1	042 1512	FRARE	500			8	+	1.		35 156	Ţ
9	7	+	+	SAD JACK	AU-0.587	1	400		10	5	20	i	250	JENELY CAR
11	9	3	1	28.2 B.S.	COLL'ER PREETES	100	1	1400	12	10	20	1	500 SO	4001508
3	11	30		1000	SPARE	100			14	2	÷	+	अक्षा कर	9472 (MI/CN)
5	13	30	1	35,000	RESTRUCTURATE A TAN	1	19:00		16	-	15	1		STOR OFFICE GUTTEN
17	0	30		9414.1214	NTCHEN LIGHTS	1	1	750	JB.	16	20	1	2012 1812	5 m 2401 L 5275
9	17	+	+	30 112	1	1500			20	6	1	7	COUNTY	COLL DUNKK FICHE
21	19	20	1	582 W.	DELENANT DARKLINGTO	1	1200		22	20	1-	-		思い、マママのではLOE
23		1	+	W. 150	ACCENT LIGHTO		1	185x	24	-				7
25	25	20	-	2010,000	SACTITACIEN	1200	b		26	27	20	1	CHEST WAY	ZENTZOOM HEATEZ
27	+	7	7	350	+	1	2020	1	26	24	1	1		
29	20	100	T.	2417 12 12 1782 1716	RESTROOM HEATER			1288	30	20	1	¥		4 1
3	27	40	a		CONVECTION OVEN	3250			132	21				4PACE
33	20					1 '	3250		3,4	14	1			
30	3				SPARE		1	1	130	37	1	1		
37	33					9	1		38	12/	1	1		
50	34						-	1	40	14	1	1		
41	37	1			1 1		1	1-	147	130	1	1		1

4	Ź	44	4	WIRE	LOAD GERVED	101	10/WA	16	щ	\$	94	3	WIRE	LOAD SERVED
7,	3	41	35	COND.		A	B	C	3	8	4	10	COND.	
f	1	12	1	28 2 8 2 330 NAC	TY, MONITOR (	%00 720			2	2	20	Œ	の表現	CLEWNS RECENT.
3	3	15	1	202 02	PULLY BODIS ON BRECHES	1	900		4	4	20	1	開設を	
5	3	20	1	M2 1812	TECHNICAL RU RECEPTS.			840	6	6	20		200	Ť
7	7	+	7	C82 15	7	720			8	8	20	1	44(4)	CLEWING MECHAE
9	9	5	1	SE 12	TIX MONITOR	1	500		10	0			)#12GN2;	TELEPHONE EQUIPMENT
11	11	70	1	25 26	~		(	500 T20	12	12	7		3214	CLEANING RECEPTS
13	13	19	15		BFARE "	789			14	14	20	1	CRP NEC	ARTHUR (DID) SALE
15	13	T	7		SPARE	1	600		16	16	20	1	CAS W.C.	SUPPLY PAN
17	17	20	1	Sec. 25	COVER LIGTS	1		300	18	18	20	1	2012 1014	COVER NV. HEATER
19	9	20		-4 (	SPEKT ROOM I SHIPS	725	-		20	20	Т	+	SE NG	COUNTY BY EXHAUST PAY
21	21			141 2000			1200		22	22	20	1	SAL ALC	SECURITY NITE LIGHT
23	23	7	7	1/E C	,			1000	24	24	20	1	202 22	PLA/ROCK/LIGHTS
25	25	x		272 12	GAVE RECEP	1650	h		20	24	7		and less	•
27	27	20	1	তে স্থাত	7		1990		28	28	20	1.	98 C 14%	PLAYROOM LIGHTS
29	19	2		10 2	TECHNOLIBY USING			372	30	30	1	+	AD SE	7
31	31	20	1	100	CUBAN-UP LISHES	1200	1		32	32	20			59KE
33	22	20	1	202 W.C	2800/KU075		500	1	34	12				39/30
25	1	20			CHANG			1-	36	24	1	I		244-602
37	3				17FACE	1-	1		36	10	1			4PACE
39	30	L					1-	1	40	4	1			
41	4				1	1		-	42	42		1		¥ (2013)

A A LIRE & CONDUIT

LOAD GERVED

	2	0.0	3	WIRE	LOAD SERVED		2	TS	4	ż	20	3	WIRE .	LOAD SERVED
BE	8	18	25	COND.	LONG SECTED	^	В	C	Ę	8	SAMP.	10	6040	200 722.22
1	T	22	1	44%	SKRETALL RECORD	300			2	2	20	1	462	CALL COURS
3	5			15	T	1	18000		4	4			1812/5407	
5	5	7	,	12'2	SKEEPALE WAS NOT SEED		1	800	6	6	1	r	16.4	T T
7	7	30		40 .	GAVENEZGYO	800 800			8	0	20	1	412	100 g 400 g/m
9	9			182000		1	êce êce		10	5			PERMIT	
11	n			6.15	1			Par.	12	12	1	1	Es	7
13	13	20	1	98 - 18 2	GAVE MECETO	1 200			4	4	20		w2 x .	CAVE TO BELL THE
15	15		,	10 EC	,	1	200 200		14	16	1,	7	AC. 44	1
17	17	20	i	1512 112	SAVE FOREKTOUR		-	en	18	6	20		91	SAVES TO
9	12	+	+	Se	7	\$ 800		eu.	20	20	20	1	W 2 1 4	SANST CAROLE
21	01	20		242 82	GAVE ROVER FOLE	1	ect boo		22	22		-	15.55	4
23	2	1.		25 25	7			ero	24	4	20	1	5 L 0 1	66-70 mm.
25	23	20		SPIC HIS	GAVE BOVER IT US	\$ 300	1		26	-	2		40.5	3-175 Car 11
27	27		١,	Sec. 1.	,	-00	100		25	2	20		26	
29	29	20		24/21/4/2	CAUE RECEP	1		600	130	1	10		26	γ
31	8	20		454	LAME RECEPT	100		1800	32	18	100	1	2.5	3053 Karrise
33	29		1	F 2015		1800	600		34	1	1	1	100,000	
30	99	+	7	20	1 1	1	1		130	1	1.	7	5'4	1
37		1			5PACE	1	1		1	1	1	1		5PLCE
30		1				1	1			1	1	1		
4		1	1	1	<b>.</b>	1		1	1	1	1	1		•

20	/20	BV	,3,	,4h		20 Pb 5.55			ED	L	<u>.3</u>					-			MIRRI			
5	\$ 170	3,40	23,00	WIR	E	Lo	ND 5	ERVE	D	A	D B		5	POLE	C4CT 159	No.	4	RE	L	MD	SER	VED
1	1	20		30		COVE	PK.			1000		1		2	2	0	30	-6	BALE.	55-4		
3	2	20		3	1	AJ20 5	40s				100	Ş,		4	,	20	1					
5	5	2		1		6.50	4000	(46	or oracid	1		1	725	6	6	20	in:	de	2.00	× 40	TO S	CENTER
7	7	2			10	ware.				4 4		- 1		8	0	22	187		40.0			
9	9	3			100	Park to	5-30				1	y = 0		0		27	1.5		770 a		1	
11	ĮĮ.	ec.	1	33	6	10 mg 12 mg						1	S.T.	12	2	20	TA:	1,15	Take .			
3	12	25	1	300	*	40.55		1		1	<b>D</b>	- 1		14	4	-	8		H			(6)
5	0	2	1	16	7	CON. 12	944				1	-		10	4	-	1	10	5700			
17	7	20	1	10	30	579438				1	1	1	15	5	0	-	1	1	C			
9	9	2		3	1	1000	0.73	POC.		1	- A	. 1		20	20	-	350		м			. 9
21		2	1		W.	VOL TO	9.2UT	er.			1 30			22	:2	-	3		NO.	540	7.7.12	5-
23	20	1	1	100	26	awn	-	V				4		24	24	2	33	100	1085	. 500		
25	8	E		15		WD.511	10.7	640	1.	1	1		2.0	26	22	=	16		40.		SV	1
ā	ge.	13						Take.	-		G State		See S	25	13	1	1	6.5	£" 540	ES.	269	
ż	Ш	К	5		號	Part C	200	电池	1.86	7 35	33	2	- 1	12			强数	80	OH:	74c	1	1
Ŋ	避		2		32		755		45.64	1-		×	43	32	10		32	32.	2 2 4 7	2.55		
33	樹	L	53			COS.	1.43					8		31					SHE	2	5.103	
3	å	8	鱥		e.	1						8.		30	S	E4.	9		5.全额	2.23	1	
37		9	$\sim$		18	200	and in	No.	2.3		4	4		2	13	200		RES.	4 5	30	2.38	地區
39	9.5		态		200		20.00	1	100			1		14	3		3 -	4	- 2	4.4		1990
41	4	Эò		1	4	* *	11.35	ALC: N	pres,	N. Distra	Barrier.	(A)	-	142	9	100	3.3		550	Spar y	96. 19	機构


12	%cev:	BOLCH		IBLE SWITCH	MD	B 👊		e main luge only e interrupting rating min
15 X9			Nº Fuses	TYPE FUSES	WIRE & CONDUIT	LOAD SERVED	LOAD	REMARKS
Ĭ	400	- 00A	2	ECLE-400	501 K S.K.	PALES K-11K-2	90	K: PEE25 4-2
2	ACC	400A	2	EC-2-400	1225,125	F-4-E-5 1-14-2	100	し・1 戸島色ワウ レ・2
3	277	200	2	2012 1ac	55.55K	F94.5. 4	30	
4	100	CCA.	3	EC/5-00	22.838	14	287	
5	KT V	1004	0	MCNY 00	n	NE COMP	24.3	
6	Section.	6004	2	20-2-500	4 4.14	1100.	150	

GCO AMPS MAIN LUGS ONLY AMPS INTERRUPTING RATIN

REMARKS

NC - NON CONJUDENTAL JOSE "THESE CIRCUITS WILL APT BE MUSE WHIESE THURL SCHILLSONS, A WHICH CASE THE TOTAL LOND OF THIEL COURT IN A STANT CALLY TRANSPERSING TO THE EVENTS CIRCUITS MAKERS A KE OF

20	/20	e y	,5	5,41	'n	SUR	POS FACE	Ha.	141		L	1						AUPS				
8	8118	12.5	4500	NA ST	2	F.	42.6	æn.	270		190	/ Sypa		500	0.7.9	20	110	Weeks Care			100	20
10		20	•	20.2	12	PO.	SIGH	(SEE	5-13	PLA	500	1		2	4	20	13	92 1	-25	214	XX6	70.50
•	254	20	*		1					PLAS		100	6			Y	1	1		1		
15	0		100	13		THE	PE	X-55	505	10-17			rice	6			4	200			, P. 25.	
7	10			300	1				The Ba		£00	1		0	10	7	7			1000		
2	*			34.			1111	14 The 2		8.5.11		900	1	0	3	3	13			1		13,
110			33							34.0			60	-		7	+	No. /- C	3		7	. suA
9	15			5				41.00	100	100000	\$00	1		-	8	1	1	41.	10		CFT .	Lynn
12	0	T	7		20		Ť	5			]	18cc	1	1.0	15			4230		v		
17	3	20	1	-	-	54.4			Marine		]		1	1	12	1	1	Sta Co.	-		40	~ -
12	100	00	1	-	-	00%	47	6.545	8/4		1	-	1_	100	16	-		-	11.4		11.11	
21		L									1	1	>	22	_				-			
23		_	_								1		1	24	-	-	_		-		-	
25	L	L	_	_							1	<b>→</b>		20	-	_			-			
27	-	_	1	_		_			11776.0		4		<b>†</b>	25	-	-	-	-	-			
29	-	-	1000	2003	-	-	SERVICE OF THE PERSON	1000	2323	-	-	-00	PACES.	30	-	200	795	SAME IN	NO.	1000	March 1	COMPAN
			8	1						-			整张.	盎		Š.				17/213		47.5
	er St	É		900			2006 P.					44				100 200 200		2000 C	1			-
						1985	art to				400		1				500		100		-7	All of
											1100			靐		ä	H	100		HELC'S		1 3 3
1													100	١,		H			1	NO TO		
64	400		g <sub>a</sub> ge.		2042	100					04.00	OV or	777			7	-	K CHA		-		
HO					TE S	EO	RCUIT	3				26924			TO							



# LIGHTING FIXTURE SCHEDULE

### PESCPIPTION

LITHOLIA NO 200400 A 12.100: 214 STALOND TROPPED WITH PLAT OTHEL DOOR ACTIVITY PRINCIPLES FALL SECTION OF STALL DE DELLIEUXAM WHITE WILLSES CHIEFMONE NOTED CATTLE PRANINCIPANING MY P THE BALLAST

WIFT THE BALLEY IN PRICESSED INCANTESCENT EXPLANT BLANCHED IN PRICESSED INCANTESCENT EXPLANT BLANCHED IN PRICESSED INCANTESCENT EXPLANT BLANCHED IN PRICESSED AND ALL OF THE PRICESSED WITH DAMP PRODUCT PARTIES THAT PRICESSED THE PRICESSED PRICESSED ALL OFFER PRICESSED WITH THE PR

PRECESSED HOUSING, PREPARE AMENDOUS OF 514" 18 12"

PRESCOLITE NO LT-124 TRACK LIGHTING WITH FOLK NO 93410 "MILANO SPOTS" WCONCEPT POUR TRAC; TENLR-30 SPOT LAMPS.

P15 HO. 10: HEYLESS PONCELAN PECEPTACIE W/HOWATT

THOMANO. 2016-140-AIR-120 21X41 STATE GIFTID THORPPEN WVINDIN PHILINGTIC ACTITUDE LENS PLAY STEEL HINCED DOOD PHILIPED IN DAMED WHITE BINAMEL AND FAILS 40WAT, PARD-STAPP PRILIES WATER WHITE FLORIFSCHIFT LAMPS (WWX) PIPMISH

PRESCHE PROBLE WITHOUT SE PLOIMSCENT LAMP, EXTRIDED ALLMINIUM PRONT PANEL WIVALUIT UN TAIM CLEAPPINS. MAPIC ACAYLOLENS, TOPE BETTOM.

LITTONIA NO LEGAÇA SIMPACE MAINTING WAARARO NO LIMBARIE WARE FORMET PARP STALLAST STANDARD COOL WHITE FLORISH LAST

### ALKCOME 3-0: YETS BLAT LAMPS

MESCOLITE -9402: SUPPACE MAINTING INCANDESCENT HNORD DRIM FITHER W/21 PAIND CLASS, EVERALL HEIGHT OF GIVEN AND TWO TOWNS IF LAMPS

PREMODITE - BYONE | POSSINGED AND EILY PROBLED A DIMENSION - PROBLEM - PROBL

HUBBELL PYLOGOGY IN WIR POTO BURENCE OF THE STEWAY IN CONTROL OF THE WIR PARK TO THE WIR PARK

PRESCUTE TO 122-412. AS THE PACTABLE PROJUGHT NONDESCENTA-40. WI DO WAT FLOOR LAMP

PATEL DOOR NOT FLEET MONTH OF THE OWN THAT SHEET WHEN THE DOOR NOT THE DAY HE LENS AND THE OWN THAT OWN THAT OWN THE DOOR NOT THAT OWN THE DAY OWN THAT OWN THE DAY OWN THAT OWN THE DAY OWN THAT OWN THE OWN

MILLIGADUE BAPPLE MATE WATER

LIGHTOLIEN FIXTURE ASSEMBLY: RECTAUGLAN GISTRIP CELERITY ASSEMBLY INJUST BOTOM CORNER PITTURG, ROUSSED CHROTTE FUNG. WHITE DECONATIVE GIZE, 25 WAT MEDIUM BASE LAMPS, AND THE POLUCINIAS COMPOLICIES.

PAHEL	1/1	QUANTITY	TENAIH TINIT	TOTAL LENGTH	TOTAL
TOPCENTER	10003	2	48	961	12
TOPENOS	40902	2	32	64"	0
BOTTOM CENTER	40903	2	40	90"	12
POTTOM ENDS	40902	2	32"	641	0
LEPT SOE	40002	1	72	32	4
PIGHTSIDE	40902	401	\$21	32"	4
TOTALS		OELEN ENT			48 LAM25

LITHONA MO EJAMMO: APERTURED INDUSTRIAL FLOURSCENT W/FO/A MOVER COMEN TO ADMINISTRAL FLOURSCENT W/FO/A MOVERNOWN TO RELIGIOUS OF A WORK REMAINS ON A MOVERNOWN TO REMAIN ON MOVERNOWN ARE REMAINS ON THE MOVERNOWN APERTURE W//PI

THE PRACTICAL SECRET FOR THE PRACTICAL WARD STATE THAT IS A CONTRACT OF THE PRACTICAL ASSOCIATION OF TH

THANK TO SOURCE: PALSAGE WATE BUT LEATING WITH WITH A STEAM OF THE CONTROL OF THE WATER BUT LEATING WITH WITH A STEAM OF THE CONTROL LETTERS AND TO SOURCE AS PROVING WHERE WATER WAS THE CHARLESS AND SOURCE OF THE CONTROL OF THE CON

PRESCRIP TO 19HE: SEMI-PECESSED EYEBALL, BALL AND TRIM MATE WHITE PINOT TOTALLY ENCLOSED BOLL WIR PALL INTERIOR ISOWATT OF LAMP.

## LIGHTALARMS HA ELFG40D: WITH "H7551 LAMPS (GV, BW.)

LIGHTING MANUFACTURE INFORMATION

LITHONIA DIVIDINAL SERVICE NOUSFRIES CONTENS, CEORGIA: 30207 404-483-8731


HANUET NY 10754

PRESCUTE
CENERALOFICES PACTORY
1251 POUTLUE DIS
SAN LEANOPO, CALIF 94577
415-54-2-3500


PROGRESS LIGHTING SUBSTRANT OF WALTA HODE & CO., INC. EARLAND & 'CO'ST. PHLANELPHA, PA 19134

		COMPLIT	EA CONTROL BOX SCHEDULE		
COMPUTED CONTROL BOX	DESCRIPTION "	(120V - 10)	SUPPLY CIRCUIT (BY ELECTRICAL CONTRACTOR)	LOAD CIP. PAEQ.	LOAD BAILING
CC-HL	House Latting	5250W (41 A)	1" 2 "STATHOUTO "CC-HL" FROM GOT PIN PHARE "LIB" CIPCLIT (CONNECT TO PHASE (AL)	6-2/5#2	6-20/1P
W-59	SPOT LIGHTS	(50A)	1", 2 FGTHN TO "CC-SP" FROM GOVE IN PANEL "L3" CAPACIT (CONNECT TO PHASE "C")	9-2/6#12	8-20/1
CC-C5	(20-4 colors)	3000W (25A)	20/19 IN TO CC-CS FROM 20/19 IN FAMEL "L3" CIPCLIT (CONNECT TO PHASE 18)	2-2/6 7/2	8-20/19
CC-5E	OUTLETS FOR PLATFORM EMPECTS	4600H (26A)	THO /L' WITH 2 NO BACH FROM THO BOA/IF N PANEL L-3 (CONSET TO PHASE IC!)	SEE DETAILS SHEET E- , 4 E- G	SEE DETALS SHT SILE E-C.
cecu	(8-4 caces)	(10A)	1-1"C. N/2410 TO BREAKER # 30 IN PANEL L3. (CANNECT TO PHASE C')	4-2C#R	4-20/IP

\* SEE SHEET E-1 & E-6 FOR DETAILS




9 LIGHT FIXTURE ASSEMBLY




COMPRESSOR WRING SCHEMATIC

\* FURHISHED BY CHUER & ILISTALLED BY CONTRACTOR



EXTERIOR SIGHS-TIME CLOCK # 1

iten	THALLED BY
PAULI BOARDS	ELEC. COMPANY
MAIL DISTRIBUTION BOAND	
PAR FOR SHOU ARCPS + WIRIUG	
SHOW COLLOOF DAMEL	
THE CLAIM, CONTACTORS & PHOTOCEUS	
	1.00



APPROVED

As Submitted

With Corrections

Date

By

DATE 3.17.62

E-6